

Stringa di connessione - DSN-less connection



web-hosting MICROSOFT [Somee](#)

DBMS MS SQL


```
"Driver={SQL Server}; Server=dbDesign.mssql.somee.com; Database=dbDesign;
Uid= UserID _SQLLogin_1; Pwd= <inserire_psw>;"
```

DBMS MS Access versione 2003 - OleDb

```
"Provider=Microsoft.Jet.OLEDB.4.0;Data Source=" & Server.mappath ("\directory\nomeDB.mdb")"
```

DBMS MS Access versione 2007 e successive OleDb

```
"Provider=Microsoft.ACE.OLEDB.12.0;Data Source=" & Server.mappath ("\directory\nomeDB.accdb")"
```



Per approfondire

<http://www.fdonet.com/programmazione/database/stringhe-di-connessione.aspx> **OleDb** Provider, **ODBC Driver**, Microsoft Excel

<http://www.aspitalia.com/articoli/db/ole-db.aspx> Per capire meglio come lavora **OLE-DB** all'interno di ADO

<http://www.aspitalia.com/servizi/connectionstring-SQLServer.aspx> Per un confronto tra **OleDb** Provider ed **ODBC Driver**

non solo MS

http://www.mrwebmaster.it/asp/stringhe-connessione-odbc-oledb_11456.html

<http://www.lukeonweb.net/leggi/422/stringhe-di-connessione-via-odbc-e-oledb.asp>

<http://www.connectionstrings.com/>